

|                                                                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>2016</b>                                                                                                                                                                                                                                                                                 |
| Basso, S., M., Schirmer, M. & Botter, G. 2016. A physically based analytical model of flood frequency curves, <i>Geophys. Res. Lett.</i> , 43, 9070–9076, doi:10.1002/2016GL069915.                                                                                                         |
| Doulatyari, A. Betterle, D. Radny, E. Alessi Celegon, P. Fanton, M. Schirmer und G. Botter, 2017. Patterns of streamflow regimes along the river network: The case of the Thur river. <i>Environmental Modelling &amp; Software</i> , 93, 42 – 58.                                          |
| Ghasemizade, M., Baroni, G., Abbaspour, K., Schirmer, M. 2016. Combined analysis of time-varying sensitivity and identifiability indices to diagnose the response of a complex environmental model, <i>Journal of Environmental Modelling and Software</i> .                                |
| Guenat C., Le Bayon R.-C., Schlaepfer R., Bullinger-Weber G., Soil morphology in near-natural, embanked and restored reaches along Swiss braided rivers. To be submitted.                                                                                                                   |
| Jiménez, S., Brauchler, R., Hu, R., Hu, L., Schmidt, S., Ptak, T., Bayer, P. (2016) Prediction of solute transport in the subsurface utilizing hydraulic conductivity and storativity tomograms, - <i>Water Resources Research</i> , 51(7), 5504-5520.                                      |
| Lienur A., Schomburg A., Turberg P., Guenat C., Le Bayon C., Brunner P. 2017. Coupling X-ray Computed tomography and freeze- coring for the analysis of fine-grained low-cohesive soils. <i>Geoderma</i> , Vol. 308, 171-186.                                                               |
| K. Edmaier, B. Crouzy, P. Perona, 2015. Experimental characterization of vegetation uprooting by flow. <i>Journal of Geophysical Research: Biogeosciences</i> 120(9).                                                                                                                       |
| Schomburg, D. Sebag, E. P. Verrecchia, C. Guenat, P. Brunner, R. C. Le Bayon. Rock Eval pyrolysis indicates organic matter stability in soil aggregates formed by plants and earthworms in a microcosm experiment. In preparation, to be submitted to <i>Geoderma</i> .                     |
| Somogyvári, M., Bayer, P., Brauchler, R. (2016) Travel time based thermal tracer tomography. - <i>Hydrol. Earth Syst. Sci.</i> , 20, 1885–1901.                                                                                                                                             |
| <b>2015</b>                                                                                                                                                                                                                                                                                 |
| Basso, S., Frascati, A., Marani, M., Schirmer, M. & Botter, G. 2015. Climatic and landscape controls on effective discharge, <i>Geophys. Res. Lett.</i> , 42, doi:10.1002/2015GL066014.                                                                                                     |
| Basso, S., Schirmer, M. & Botter, G. 2015. On the emergence of heavy-tailed streamflow distributions, <i>Adv. Water. Resour.</i> , 82, 98-105.                                                                                                                                              |
| Chittoor Viswanathan, V. & Schirmer, M., 2015. Water quality deterioration as a driver for river restoration: A review of case studies from Asia, Europe and North America. <i>Environ Earth Sci</i> , 74, 3145-3158                                                                        |
| Chittoor Viswanathan, V., Molson, J. & Schirmer, M., 2015. Does river restoration affect diurnal and seasonal changes to surface water quality? A study along the Thur River, Switzerland. <i>Sci Total Environ</i> , 532, 91-102                                                           |
| Crouzy, B., Baerenbold, F., D’Odorico, P. and P. Perona (2015). Ecomorphodynamic approaches to river ana-branching modeling. <i>Adv. Water Resour</i> , in press.                                                                                                                           |
| Doulatyari, B., A. Betterle, S. Basso, B. Biswal, M. Schirmer, G. Botter (2015), Predicting streamflow distributions and flow duration curves from landscape and climate. <i>Adv. Water. Res.</i> , doi:10.1016/j.advwatres.2015.06.013                                                     |
| Edmaier, K., Crouzy, B. and P. Perona (2015). Experimental characterization of vegetation uprooting by flow and related timescales. <i>Journal of Geophys. Res. – Biogeosci.</i> ,                                                                                                          |
| Ghasemizade, M., Moeck, C. & Schirmer, M. 2015. The effect of model complexity in simulating unsaturated zone flow processes on recharge estimation at varying time scales. <i>Journal of Hydrology</i> , 529, 1173-1184.                                                                   |
| Gorla, L., Signarbieux, C., Turberg, P., Buttler, A. and P. Perona (2015). Transient response of Salix cuttings to changing water level regimes. <i>WRR</i> , 51, DOI: 10.1002/2014WR015543                                                                                                 |
| Gorla, L., Signarbieux, C., Turberg, P., Buttler, A. and P. Perona (2015). Effects of hydropeaking waves offsets on growth performances of juvenile Salix species. <i>Ecol. Engineering</i> , 77, 297-306, doi:10.1016/j.ecoleng.2015.01.019                                                |
| Hastik, R., Basso, S., Geitner, C., Haida, C., Poljanec, A., Portaccio, A., Vrščaj, B., Walzer, C. 2015. Renewable Energies and Ecosystem Service impacts, <i>Renew. Energ. Rev.</i> , 48, 608-623.                                                                                         |
| JIMÉNEZ, S., BRAUCHLER, R., HU, R., HU, L., SCHMIDT, S., PTAK, T., BAYER, P. 2015. Prediction of solute transport in the subsurface utilizing hydraulic conductivity and storativity tomograms, - <i>Water Resources Research</i> , 51(7), 5504-5520.                                       |
| Moschet, M., E. L Vermeirssen, R., H. Singer, C. Stamm, J. Hollender. 2015. Evaluation of in-situ calibration of Chemcatcher passive samplers for 322 micropollutants in agricultural and urban affected rivers, <i>Water Research</i> 71: 306-317.                                         |
| Tron, S., Perona, P., Gorla, L., Schwarz, M., Laio, F., and L. Ridolfi (2015). The signature of randomness in riparian plant root distributions. <i>Geophys. Res. Letts.</i> , 42, 7098–7106                                                                                                |
| Von Freyberg, J., Rao, P.S.C., Radny, D & Schirmer, M. 2015. The impact of hillslope groundwater dynamics and landscape functioning in event-flow generation: a field study in the Rietholzbach catchment, Switzerland, <i>Hydrogeology Journal</i> , 23 (5), DOI 10.1007/s10040-015-1238-1 |
| <b>2014</b>                                                                                                                                                                                                                                                                                 |
| Basso, S., Schirmer, M. & Botter, G. Under review. On the emergence of heavy-tailed streamflow distributions.                                                                                                                                                                               |
| Bullinger-Weber G., Le Bayon R.-C., Thebault A., Schlaepfer R., Guenat C, 2014, Carbon storage and organic matter stabilisation in near-natural, restored and embanked Swiss floodplains. <i>Geoderma</i> , Special issue: Wetland, paddy and floodplain, 28, 122-131.                      |
| Diem, S., Renard, P., Schirmer, M., 2014. Assessing the effect of different river water level interpolation schemes on modeled groundwater residence times. <i>Journal of Hydrology</i> , 510, 393-402.                                                                                     |
| Doulatyari, B., S. Basso, M. Schirmer, G. Botter (2014), River flow regimes and vegetation dynamics along a river transect. <i>Adv. Water. Res.</i> , DOI: 10.1016/j.advwatres.2014.06.015                                                                                                  |

|                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Gorla, L., Signarbieux, C., Turberg, P., Buttler, A. and P. Perona. Effects of hydropeaking waves offsets on growth performances of juvenile Salix species. Ecol. Engineering, Vol. 77, 297-306                                                                                                                                                                           |
| Gorla, L., Signarbieux, C., Turberg, P., Buttler, A. and P. Perona. Transient response of Salix cuttings to changing water level regimes. Water Resources Research, Vol. 51 (3), 1758-1774.                                                                                                                                                                               |
| Hastik, R., Basso, S., Geitner, C., Haida, C., Poljanec, A., Portaccio, A., Vrščaj, B., Walzer, C. Under review. Renewable Energies and Ecosystem Service impacts.                                                                                                                                                                                                        |
| Kurth, A.M. and Schirmer, M., 2014. Thirty years of river restoration in Switzerland: implemented measures and lessons learned. Environ. Earth Sci., 72(6), 2065 - 2079. doi: 10.1007/s12665-014-3115-y                                                                                                                                                                   |
| Luster, J.; Kalbitz, K.; Lennartz, B.; Rinklebe, J. 2014. Properties, processes and ecological functions of floodplain, peatland and paddy soils. Geoderma 228/229: 1-4.                                                                                                                                                                                                  |
| Pasquale, N., Perona, P., Wombacher, A., Burlando, P. (2014). Hydrodynamic model calibration from patternrecognition of non-orthorectified terrestrial photographs. Computers and Geosciences, 62,160-167.<br><a href="http://dx.doi.org/10.1016/j.cageo.2013.06.014">http://dx.doi.org/10.1016/j.cageo.2013.06.014</a>                                                   |
| Schirmer, M, Luster, J., Linde, N., Perona, P., Mitchell, E.A.D., Barry, D.A., Hollender, J., Cirpka, O.A., Schneider, P., Vogt, T., Radny, D. and Durisch-Kaiser, E. 2014. Morphological, hydrological, biogeochemical and ecological changes and challenges in river restoration – the Thur River case study, HESS, 18, 2449-2462                                       |
| Von Freyberg, J., Radny, D., Gall, H.E. and Schirmer, M., 2014. Implications of hydrologic connectivity between hillslopes and riparian zones on streamflow composition, Journal of Contaminant Hydrology, Available online 25 July 2014, ISSN 0169-7722, <a href="http://dx.doi.org/10.1016/j.jconhyd.2014.07.005">http://dx.doi.org/10.1016/j.jconhyd.2014.07.005</a> . |
| Von Freyberg, J., Rao, P.S.C., Radny, D & Schirmer, M. accepted. Hillslope groundwater dynamics and landscape functioning determine event-flow generation – a field study in the Rietholzbach catchment, Hydrogeology Journal                                                                                                                                             |
| von Rohr, M., Hering, J., Kohler, H.P.E. and von Gunten, U., 2014. Column studies to assess the effects of climate variables on redox processes during riverbank filtration. Water Research 61, 263-275                                                                                                                                                                   |
| <b>2013</b>                                                                                                                                                                                                                                                                                                                                                               |
| Bullinger-Weber G., Le Bayon R.-C., Thebault A., R. Schlaepfer, Guenat C. Impact of restoration on carbon storage in Swiss floodplains. In revision Geoderma, Special issue : Wetland, paddy and floodplain.                                                                                                                                                              |
| Diem, S., Cirpka, O.A., Schirmer, M., 2013. Modeling the dynamics of oxygen consumption upon riverbank filtration by a stochastic-convective approach. J. Hydrol. 505, 352-363                                                                                                                                                                                            |
| Diem, S., Renard, P., Schirmer, M., 2013. Assessing the effect of different river water level interpolation schemes on modeled groundwater residence times. Submitted to Journal of Hydrology.                                                                                                                                                                            |
| Diem, S., Renard, P., Schirmer, M., 2013. New methods to estimate 2D water level distributions of dynamic rivers. Ground Water 51 (6), 847-854.                                                                                                                                                                                                                           |
| Diem, S., Rudolf von Rohr, M., Hering, J.G., Kohler, H.P.E., Schirmer, M., von Gunten, U., 2013. NOM degradation during river infiltration: Effects of the climate variables temperature and discharge. Water Res. 47 (17), 6585-6595.                                                                                                                                    |
| Diem, S., Rudolf von Rohr, M., Schirmer, M., Kohler, H.P.E., Hering, J.G., von Gunten, U., 2013. Qualität des Uferfiltrats - Einfluss der klimabestimmten Variablen Temperatur und Abfluss. Aqua und Gas 11, 14-21                                                                                                                                                        |
| Doulatyari, B., Basso, S., Schirmer, M., Botter, G. 2013. River flow regimes and vegetation dynamics along a river transect. Submitted to Advances in Water Resources.                                                                                                                                                                                                    |
| Fournier B-*, Guenat C.*, Bullinger-Weber G., Mitchell E.A.D. *The two authors contributed equally to this paper. 2013, Spatio-temporal heterogeneity of riparian soil morphology, 2013, Hydrol. Earth Syst. Sci. Discuss., 10 (17)- 4031-4042. DOI 10.5194/hess-17-4031-2013.                                                                                            |
| Ghasemizade, M., Schirmer, M. 2013. Subsurface flow contribution in the hydrological cycle: Lessons learned and challenges ahead - A review. Environmental Earth Sciences 69, 707-718. Online available: DOI 10.1007/s12665-013-2329-8.                                                                                                                                   |
| Gorla, L. and P. Perona, 2013. On quantifying ecologically sustainable flow releases in a diverted river reach. Journal of Hydrology, 489, 98-107                                                                                                                                                                                                                         |
| Gorla, L., Signarbieux, C., Turberg, P., Buttler, A. and P. Perona. Transient response of Salix cuttings to changing water level regimes. WRR, submitted                                                                                                                                                                                                                  |
| Huntscha, S., D. Rodriguez, M. Schroth, J. Hollender. 2013. Degradation of Polar Organic Micropollutants during Riverbank Filtration: Complementary Results from Spatiotemporal Sampling and Push–Pull Tests, Environm. Sci. Technol. 47, 11512–11521.                                                                                                                    |
| Jiménez, S., Brauchler, R., Bayer, P. ,2013. A new sequential procedure for hydraulic tomographic inversion, Advances in Water Resources, (62), 59-70, doi:10.1016/j.advwatres.2013.10.002                                                                                                                                                                                |
| Lazzaro, G., Basso, S., Schirmer, M. & Botter, G. 2013. Water management strategies for run-of-river power plants: profitability and hydrologic impact between the intake and the outflow, Water Resour. Res., 49, 8285–8298.                                                                                                                                             |
| Le Bayon R.-C, Bullinger-Weber G, Gobat J.-M., Guenat C., 2013. Earthworm communities as indicators for evaluating floodplain restoration success. Book chapter. Edited book : Floodplains : Environmental Management, restoration and ecological implications. Nova Science Publisher. ISBN . 978-1-62808-998-1.                                                         |
| Le Bayon R.-C, Bullinger-Weber G, Salomé C., Rigerli D., Amstutz R., Gobat J.-M., Guenat C. 2013; Biodiversité du sol en zones alluviales subalpines : lombriciens et collemboles. Bulletin VBB- BSA . Groupe de travail « biologie du sol-application » in French and in German, 15 Mai 2013, 8-12.                                                                      |
| Mächler, L., Brennwald, M. S. and Kipfer, R. ,2013. Argon concentration time-series as a tool to study gas dynamics in the hyporheic zone. Environ. Sci. Technol. 47, 7060–7066.                                                                                                                                                                                          |
| Mächler, L., Peter, S., Brennwald, M. S. and Kipfer, R.,2013. Excess air formation as a mechanism for delivering oxygen to                                                                                                                                                                                                                                                |

|                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| groundwater. Water Resour. Res. 49, doi:10.1002/wrcr.20547.                                                                                                                                                                                                                                                                                |
| Pasquale, N., Perona, P., Wombacher, A., Burlando, P., 2013. Hydrodynamic model calibration from pattern recognition of non-orthorectified terrestrial photographs. Computers and Geosciences, in press, <a href="http://dx.doi.org/10.1016/j.cageo.2013.06.014">http://dx.doi.org/10.1016/j.cageo.2013.06.014</a>                         |
| Perona, P., D. Dürrenmatt and G. Characklis, 2013. Obtaining natural-like flow releases in diverted river reaches from simple riparian benefit economic models. Journal of Environmental Management, 118, 161-169                                                                                                                          |
| Schirmer, M. & Radny, D. 2013. On RECORD. International Innovation – Environment, Research Media Ltd., Bristol, GB, 57-59                                                                                                                                                                                                                  |
| Schirmer, M. 2013. Das RECORD-Projekt - Flussrevitalisierung, eine ökologische Massnahme in einem komplexen Umfeld, Aqua & Gas, 3, 22-28.                                                                                                                                                                                                  |
| Seidl, R. & Stauffacher, M. 2013. Evaluation of river restoration by local residents. WRR, Vol. 49, 1-11, doi: 10.1002/2013WR013988                                                                                                                                                                                                        |
| Shrestha, J.; Niklaus, P.A.; Pasquale, N.; Huber, B.; Barnard, R.L.; Frossard, E.; Schleppi, P.; Tockner, K.; Luster, J. 2013. Flood pulses control soil nitrogen cycling in a dynamic river floodplain. Geoderma, 10.1016/j.geoderma.2013.09.018                                                                                          |
| Von Freyberg, J., Radny, D & Schirmer, M. 2013. Implications of hydrologic connectivity between hillslopes and riparian zones on streamflow composition, Journal of Contaminant Hydrology, submitted.                                                                                                                                      |
| Von Freyberg, J., Rao, P.S.C., Radny, D & Schirmer, M. 2013. Hillslope groundwater dynamics, landscape functioning and parsimonious modeling of streamflow hydrographs – a field study in the Rietholzbach catchment, Water Resources Research, submitted.                                                                                 |
| <b>2012</b>                                                                                                                                                                                                                                                                                                                                |
| Huntscha, S., H.P. Singer, C. S. McArdell, C. E. Frank, J. Hollender. 2012. Multiresidue analysis of 88 polar organic micropollutants in ground, surface and wastewater using online mixed-bed multilayer solid phase extraction coupled to high performance liquid chromatography-tandem mass spectrometry, J. Chromatogr. A 1268: 74-83. |
| Mächler, L., Brennwald, M. S. and Kipfer, R. 2012. Membrane inlet mass spectrometer for the quasi-continuous on-site analysis of dissolved gases in groundwater. Environ. Sci. Technol. 46, 8288–8296.                                                                                                                                     |
| Peter, S., Rechsteiner, R., Lehmann, M. F., Brankatschk, R., Vogt, T., Diem, S., Wehrli, B., Tockner, K., Durisch-Kaiser, E., 2012. Nitrate removal in a restored riparian groundwater system: Functioning and importance of individual riparian zones. Biogeoscience 9(11), 4295-4307.                                                    |
| <b>2011</b>                                                                                                                                                                                                                                                                                                                                |
| Coscia I, Greenhalgh S, Linde N, Doetsch J, Marescot L, Günther T, Vogt T, Green A. 2011. 3-D crosshole apparent resistivity monitoring and static inversion of a coupled river-aquifer system. Geophysics 76, G49-G59.                                                                                                                    |
| Coscia I, Linde N, Greenhalgh S, Günther T, Green A. A deconvolution - filtering method to correct time-lapse 3D ERT data and improve imaging of natural aquifer dynamics. Submitted to Water Resources Research.                                                                                                                          |
| Crouzy, B. and P. Perona. Biomass selection by floods and related time scales: Part 2. Modelling. Adv. Water Res. in review                                                                                                                                                                                                                |
| Doetsch J, Linde N, Pessognelli M, Green A G, and Günther T. 2011. Constraining 3-D electrical resistivity in-versions with GPR data for improved aquifer characterization. Journal of Applied Geophysics (in press).                                                                                                                      |
| Doetsch J., Linde N., Vogt T., Binley A., Green A. 2011. Imaging and quantifying salt tracer transport in a riparian groundwater system by means of 3-D ERT monitoring. Water Resources Research (submitted).                                                                                                                              |
| Edmaier, K., P. Burlando, and P. Perona, 2011. Mechanisms of vegetation uprooting by flow in alluvial non-cohesive sediment. Hydrol. Earth Syst. Sci., in press                                                                                                                                                                            |
| Fournier B, Bullinger-Weber G, Mitchell EAD, Guenat C. 2011. La morphologie du sol: un outil pour l'évaluation de projets de revitalisation de zones alluviales ? Bulletin de la Société Suisse de Pédologie.                                                                                                                              |
| Fournier B, Guenat C, Bullinger-Weber G, Mitchell EAD. A new method for assessing floodplain restoration success using soil morphology indicators. Submitted to River Research and Applications.                                                                                                                                           |
| Fournier B, Malysheva E, Mazei Y, Moretti M, Mitchell EAD. Toward the use of testate amoeba functional traits as indicator of floodplain restoration success. Accepted in European Journal of Soil Biology.                                                                                                                                |
| Heger TJ, Pawlowski J, Golemanski V, Todorov M, Lara E, Mitchell EAD. 2011. Comparing potential COI and SSU rDNA barcodes for assessing the diversity and phylogenetic relationships of cyphoderiid testate amoebae (Rhizaria: Euglyphida). Protist 162(1) 131-141. doi: 10.1016/j.protis.2010.05.002                                      |
| Jassey VEJ, Chapuiso G, Mitchell EAD, Binet P, Toussaint M-L, Gilbert D. 2011. Fine-scale horizontal and vertical micro-distribution patterns of testate amoebae along a narrow fen/bog gradient. Microbial Ecology 61:374–385 doi: 10.1007/s00248-010-9756-9                                                                              |
| Kosakyan A, Heger TJ, Leander BS, Todorov M, Mitchell EAD, Lara E. COI Barcoding of Nebelid Testate Amoebae (Amoebozoa: Arcellinida): Extensive Pseudocryptic Diversity and Redefinition of Family Nebelidae. Submitted to Protist                                                                                                         |
| Lahr DJG, Wegener Parfrey L, Mitchell EAD, Katz LA, Lara E. 2011. The chastity of amoebae: re-evaluating evidence for sex in amoeboid organisms. Proceeding of the Royal Society B- Biological Sciences. doi:10.1098/rspb.2011.0289                                                                                                        |
| Lara E, Heger TJ, Scheihing R, Mitchell EAD. 2011. Cytochrome c oxidase subunit I gene and ecological data suggest size-dependent high dispersal and low intra-specific diversity in free-living terrestrial protists (Eu-glyphida: Assulina). Journal of Biogeography. 68: 640-650. doi:10.1111/j.1365-2699.2010.02426.x                  |
| Lara, E, Mitchell EAD, Moreira D, López García P. 2011. Highly diverse and temporally changing protist community in a pristine peat bog. Protist 162(1) 14-32 doi:10.1016/j.protis.2010.05.003                                                                                                                                             |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Limpens J, Granath G, Gunnarsson U, Aerts, R, Bayley S, Bragazza L, Brewer A, Bubier J, Buttler A, van den Berg L, Francez A-J, Gerdel R, Grosvernier P, Heijmans MMPD, Hoosbeek M, Hotes S, Illomets M, Leith I, Mitchell EAD, Moore T, Nilsson MB, Nordbakken J-F, Rochefort L, Rydin H, Sheppard L, Thormann M, Wied-ermann MM, Williams B, Xu B. 2011. Temperature and N saturation can exacerbate negative production re-sponse to increasing N deposition: a meta-analysis for Sphagnum mosses. <i>New Phytologist</i> . doi. 10.1111/j.1469-8137.2011.03680.x |
| Linde N, Doetsch J, Jougnot D, Genoni O, Dürst Y, Minsley B, Vogt T, Luster J, Pasquale N, Perona P. 2011. Self-potential investigations of a gravel bar in a restored river corridor. <i>Hydrology and Earth System Sciences</i> , 15, 729-742.                                                                                                                                                                                                                                                                                                                     |
| Luster, J.; Shrestha, J.; Huber, B.; Samaritani, E.; Niklaus, P.A.; Graf Pannatier, E. 2011. Auenböden als Filter für Trinkwasser: Erkenntnisse aus kanalisieren und revitalisierten Abschnitten der Thur. <i>Bulletin BGS</i> , submitted (in German)                                                                                                                                                                                                                                                                                                               |
| Mitchell EAD, Lamentowicz M, van der Knaap WO, Lamentowicz Ł, Gąbka M, The performance of single- and multi-proxy transfer functions (testate amoebae, bryophytes, vascular plants) for reconstructing mire surface wetness and pH. Submitted to <i>Quaternary Research</i> .                                                                                                                                                                                                                                                                                        |
| Pasquale N., P. Perona, P. Schneider, J. Shrestha, A. Wombacher, and P. Burlando. 2011. Modern comprehensive approach to monitor the morphodynamic evolution of restored river corridors. <i>Hydrol. Earth Syst. Sci.</i> , 15, 1197-1212.                                                                                                                                                                                                                                                                                                                           |
| Pasquale N., P. Perona and P. Burlando. 2011. Effects of streamflow variability on the vertical root density distribution of willow cutting experiments. <i>Ecological Engineering</i> , in review                                                                                                                                                                                                                                                                                                                                                                   |
| Pasquale, N. P. Perona, U. Villero, A. Wombacher, and P. 2011. Burlando. 2-D Hydrodynamic model calibration from non-rectified terrestrial photographs. <i>Computers and Geosciences</i> , in review                                                                                                                                                                                                                                                                                                                                                                 |
| Payne RJ, Lamentowicz M, Mitchell EAD. 2011. The perils of taxonomic inconsistency in quantitative palaeoecology: experiments with testate amoeba data. <i>Boreas</i> 40: 15–27. doi: 10.1111/j.1502-3885.2010.00174.x                                                                                                                                                                                                                                                                                                                                               |
| Peter S., Rechsteiner, Lehmann, Brankatschk, Vogt, Traber, Huber, Tockner, Wehrli, Durisch-Kaiser. 2011. Nitrate removal in a restored riparian groundwater system: The role of vegetation-soil-groundwater coupling. Submitted to <i>Biogeochemistry</i> .                                                                                                                                                                                                                                                                                                          |
| Perona, P., P. Molnar, B. Crouzy, E. Perucca, Z. Jiang, S. McLelland, D. Wuthrich, K. Edmaier, R. Francis, C. Cam-poreale, and A. Gurnell, Biomass selection by floods and related time scales: Part 1. Experimental obser-vati-ons. <i>Adv. Water Res.</i> in review                                                                                                                                                                                                                                                                                                |
| Pollock D. & O.A. Cirpka. 2011. Fully coupled hydrogeophysical inversion of laboratory salt tracer experiments monitored by ERT. <i>Water Resour. Res.</i> (submitted).                                                                                                                                                                                                                                                                                                                                                                                              |
| Samaritani E, Siegenthaler A, Yli-Petäys M, Buttler A, Christin P-A, Mitchell EAD. 2011. Seasonal net ecosys-tem carbon exchange of a regenerating cutaway bog: how long does it take to restore the C-sequestration func-tion? <i>Restoration Ecology</i> doi: 10.1111/j.1526-100X.2010.00662.x                                                                                                                                                                                                                                                                     |
| Samaritani, E.*; Shrestha, J.*; Fournier, B.; Frossard, E.; Gillet, F.; Guenat, C.; Niklaus, P.A.; Tockner, K.; Mit-chell, E.A.D.; Luster, J. 2011. Heterogeneity of soil carbon pools and fluxes in a channelized and a restored floodplain section (Thur River, Switzerland). <i>Hydrol. Earth System Sci. Discussion</i> 8:1059-1091, *joint first-authorship                                                                                                                                                                                                     |
| Schneider P., Vogt T., Schirmer M., Doetsch J., Linde N., Pasquale N., Perona P., Cirpka O.A. 2011. Towards improved instrumentation for assessing river-groundwater interactions in a restored river corridor. <i>Hydrology and Earth System Sciences</i> (under review).                                                                                                                                                                                                                                                                                           |
| Siegenthaler A, Buttler A, Grosvernier P, Gobat J-M, Mitchell EAD. 2011. Comparative growth-competition measure-ments on two keystone species of mosses under increased CO2 and N supply in a restoring peatland. Submitted to <i>Plant Ecology</i> .                                                                                                                                                                                                                                                                                                                |
| Siegenthaler A, Buttler A, Grosvernier P, Gobat J-M, Mitchell EAD. 2011. Potassium limits <i>Eriophorum vaginatum</i> seedlings growth stimulation by elevated CO2 and N deposition. In revision by <i>Functional Ecology</i> .                                                                                                                                                                                                                                                                                                                                      |
| Vogt T., Schirmer M., Cirpka O.A.: Heat Transport of Diurnal Temperature Oscillations upon River-Water Infiltration Investigated by Fiber-Optic High-Resolution Temperature Profiling. <i>Hydrology and Earth System Sciences</i> (submitted).                                                                                                                                                                                                                                                                                                                       |
| <b>2010</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Barry, DA, Sander GC, Jomaa S, Heng BCP, Parlange JY, Lisle IG, Hogarth WL. 2010 Exact solutions of the Hairsine-Rose precipitation-driven erosion model for a uniform grain-sized soil. <i>Journal of Hydrology</i> 389 (3-4): 399-405.                                                                                                                                                                                                                                                                                                                             |
| Battle-Aguilar, J., Brovelli, A., Porporato, A. and D.A. Barry (2010). Modelling soil carbon and nitrogen cycles during land use change. A review. <i>Agronomy for Sustainable Development</i> 31(2):251-274, DOI: 10.1051/agro/2010007.                                                                                                                                                                                                                                                                                                                             |
| Carlson ML, Flagstad L, Gillet F, Mitchell EAD. 2010. Community development along a proglacial chronose-quence: are aboveground and belowground community structure controlled more by biotic than abiotic factors? <i>Journal of Ecology</i> 98, 1084-1095. doi. 10.1111/j.1365-2745.2010.01699.x                                                                                                                                                                                                                                                                   |
| Carpentier S F A, Horstmeyer H, Green A G, Doetsch J, Coscia I. 2010. Semiautomated suppression of above-surface diffractions in GPR data. <i>Geophysics</i> 75 (6), J43-J50.                                                                                                                                                                                                                                                                                                                                                                                        |
| Dessureault-Rompré J, Luster J, Schulin R, Tercier-Waeber M, Nowack B. 2010. Decrease of labile Zn and Cd in the rhizosphere of hyperaccumulating <i>Thlaspi caerulescens</i> with time <i>Environ. Pollut.</i> 158(5): 1955-1962.                                                                                                                                                                                                                                                                                                                                   |
| Diem S, Vogt T, Hoehn E. 2010. Spatial characterization of hydraulic conductivity in alluvial gravel-and-sand aquifers: A comparison of methods. <i>Grundwasser</i> 15 (4), 241-251.                                                                                                                                                                                                                                                                                                                                                                                 |
| Doetsch J, Coscia I, Greenhalgh S, Linde N, Green A G, and Günther T. 2010a. The borehole-fluid effect in electrical resistivity imaging. <i>Geophysics</i> 75, F107-F114.                                                                                                                                                                                                                                                                                                                                                                                           |
| Doetsch J, Linde N, Coscia I, Greenhalgh S, Green A G. 2010b. Zonation for 3D aquifer characterization based on joint inversion of multi-method crosshole geophysical data. <i>Geophysics</i> 75, G53–G64.                                                                                                                                                                                                                                                                                                                                                           |
| Guenat C, Fournier B, Bullinger-Weber G, Mitchell EAD. Assessing floodplain restoration success using soil morphology indicators. submitted to <i>Journal of Applied Ecology</i> .                                                                                                                                                                                                                                                                                                                                                                                   |

|                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Heger TJ, Mitchell EAD, Todorov M, Golemansky V, Lara E, Pawlowski J. 2010. Molecular phylogeny of euglyphid testate amoebae (Cercozoa: Euglyphida) suggest transitions between marine supralittoral and freshwater/terrestrial environments are infrequent. <i>Molecular Phylogenetics and Evolution</i> 55: 113-122. |
| Jomaa, S, Barry DA, Brovelli A, Sander GC, Parlange JY, Heng BCP, Tromp-van Meerveld HJ. 2010. Effect of initial and boundary conditions on soil erosion: Experiments and analysis with the Hairsine-Rose model. <i>Journal of Hydrology</i> 395 (1-2): 117-132.                                                       |
| Klotzche A, van der Kruk J, Meles G, Doetsch J, Maurer H, Linde N. 2010. Full-waveform inversion of crosshole ground penetrating radar data to characterize a gravel aquifer close to the river Thur, Switzerland. <i>Near Surface Geophysics</i> 8, 635-649.                                                          |
| Lamentowicz M, Lamentowicz Ł, van der Knaap WO, Gąbka M, Mitchell EAD. 2010. Community patterns and species-environment relationships differ between belowground (testate amoebae) and aboveground (bryophytes and vascular plants) communities along the fen-bog gradient. <i>Microbial Ecology</i> 59: 499–510.      |
| Lara, E, Mitchell EAD, Moreira D, López García P. 2010. Highly diverse and seasonally dynamic protist community in a pristine peat bog. <i>Protist</i> (accepted).                                                                                                                                                     |
| Lara E, Heger TJ, Mitchell EAD. 2010. COI gene reveals size-dependent high dispersal and low intra-specific diversity in free-living terrestrial protists (Euglyphida; Assulina). <i>Journal of Biogeography</i> (accepted).                                                                                           |
| Linde N, Coscia I, Doetsch J A, Greenhalgh S A, Vogt T, Schneider P, Green A G. 2010. Hydrogeophysical studies in unrestored and restored river corridors of the Thur River, Switzerland. <i>First Break</i> 28(8), 69-75.                                                                                             |
| Payne RJ, Lamentowicz M, Mitchell EAD. Why consistent taxonomy is essential for testate amoeba-based environmental reconstruction. <i>Boreas</i> (in press).                                                                                                                                                           |
| Pellissier L, Fournier B, Guisan A, Vittoz P. 2010. Plant traits co-vary with altitude in grasslands and forests in the European Alps. <i>Plant Ecology</i> (accepted).                                                                                                                                                |
| Pellissier L; Fournier B; Guisan A; Vittoz P. 2010. Morphologie et reproduction des plantes le long de gradients altitudinaux. <i>Bulletin de la Murithienne</i> .                                                                                                                                                     |
| Perona, P., Camporeale, C., Perucca, E., Savina, M., Molnar, P., Burlando, P. and Ridolfi, L. 2010. Modelling river and riparian vegetation interactions and related importance for a sustainable ecosystem management. <i>Aquatic Sciences</i> , 71, 266-278                                                          |
| Pollock D, Cirpka OA, 2010: Fully coupled hydrogeophysical inversion of synthetic salt tracer experiments. <i>Water Resour. Res.</i> , 46, W07501 .                                                                                                                                                                    |
| Samaritani, E.; Shrestha, J.; Frossard, E.; Mitchell, E.; Fournier, B.; Niklaus, P.; Tockner, K.; Luster, J. Spatio-temporal variability of soil carbon pools and fluxes among different functional processing zones in the floodplain of river Thur. In preparation.                                                  |
| Samaritani E, Siegenthaler A, Yli-Petäys M, Buttler A, Christin P-A, Mitchell EAD. 2010. Seasonal Net Ecosystem Carbon Exchange of a Regenerating Cutaway Bog: How Long Does it Take to Restore the C-Sequestration Function? <i>Restoration Ecology</i> .                                                             |
| Schneider P, Vogt T, Schirmer M, Doetsch J, Linde N, Pasquale N, Perona P, Cirpka OA.: Instrumentation Strategy for the Assessment of River-Groundwater Interactions in the Context of River Restoration. Submitted to <i>Journal of Hydrology</i> .                                                                   |
| Siegenthaler A, Buttler A, Grosvernier P, Gobat J-M, Mitchell EAD. 2010. Leaf dynamics, above- and belowground growth allocation of <i>Eriophorum vaginatum</i> seedlings under elevated atmospheric CO <sub>2</sub> and N deposition. Submitted to <i>Journal of Ecology</i> .                                        |
| Schäppi B, Perona P, Schneider P, Burlando P. 2010. Integrating river cross section measurements with DTM models for improved water surface modelling applications. <i>Computers and Geosciences</i> 36(6): 707-716.                                                                                                   |
| Thébault A, Frey B, Mitchell EAD, Buttler A. 2010. Species-specific effects of polyploidisation, range and plant traits of <i>Centaurea maculosa</i> and <i>Senecio inaequidens</i> on rhizosphere microorganisms. <i>Oecologia</i> .                                                                                  |
| Vogt T, Schneider P, Hahn-Woernle L, Cirpka OA. 2010a. Estimation of Seepage Rates in a Losing Stream by Fiber-Optic High-Resolution Vertical Temperature Profiling. <i>Journal of Hydrology</i> 380(1-2): 154-164.                                                                                                    |
| Vogt T, Hoehn E, Schneider P, Freund A, Schirmer M, Cirpka OA. 2010b. Fluctuations of Electrical Conductivity as a Natural Tracer for Bank Filtration in a Losing Stream. <i>Advances in Water Resources</i> 33, 1296-1308.                                                                                            |
| Wall A, Gilbert D, Magny M, Mitchell EAD. 2010. Testate amoeba analysis of lake sediments: impact of filter size and total count on estimates of density, diversity and community structure. <i>Journal of Paleolimnology</i> 43: 689–704.                                                                             |
| Walther L, Graf U, Hagedorn F, Luster J, Pezzotta D, Zimmermann S. 2010 Determination of organic and inorganic carbon, δ <sup>13</sup> C and nitrogen in soils containing carbonates after acid fumigation with HCl. <i>J. Plant Nutr. Soil Sci.</i>                                                                   |
| Wehrli M, Mitchell EAD, van der Knaap WO, Ammann B, Tinner W. 2010. Effects of climatic change and bog development on tufa formation in the Lorze Valley (central Switzerland). <i>The Holocene</i> 20(3): 325-336. doi: 10.1177/0959683609351901                                                                      |
| Wilkinson D, Mitchell EAD. 2010. Testate amoebae and nutrient cycling; with particular reference to soil. <i>Geo-microbiology Journal</i> 27: 520-533 doi: 10.1080/01490451003702925                                                                                                                                   |
| <b>2009</b>                                                                                                                                                                                                                                                                                                            |
| Brovelli A, Malagueira F, Barry DA. 2009. Bioclogging in porous media: Model development and sensitivity to initial conditions. <i>Environmental modeling and software</i> , 24: 611-626.                                                                                                                              |
| Heger TJ, Mitchell EAD, Ledeganck P, Vincke S, Van De Vijver B, Beyens L. 2009. The curse of taxonomic uncertainty in biogeographical studies of free-living terrestrial protists: A case study of testate amoebae from Amsterdam Island. <i>Journal of Biogeography</i> 36(8): 1551-1560.                             |
| Jiang Z, Perona P, Francis R, Molnar P, Burlando P. 2009. An experimental comparison of Silica gel grains and quartz sand as sediment media for growing vegetation at the laboratory scale. <i>Aquatic Sciences</i> 71(3).                                                                                             |

|                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lamentowicz M, van der Knaap WO, Lamentowicz Ł, van Leeuwen JFN, Mitchell EAD, Goslar T, Kamenik C. 2009. A near-annual palaeohydrological study based on testate amoebae from an Alpine mire: surface wetness and the role of climate during the instrumental period. <i>Journal of Quaternary Science</i> 25(2): 190-202. |
| Luster J, Göttlein A, Sarret G, Nowack B. 2009. Sampling, defining, characterising and modeling the rhizosphere – the soil science toolbox. <i>Plant Soil</i> , 321: 457-482.                                                                                                                                               |
| Payne R, Mitchell EAD. 2009. How many is enough? Determining optimal count totals for ecological and palaeoecological studies of testate amoebae. <i>Journal of Paleolimnology</i> 42(4).                                                                                                                                   |
| Perona P, Camporeale C, Perucca E, Savina M, Molnar P, Burlando P, Ridolfi L. 2009. Modelling river and riparian vegetation interactions and related importance for a sustainable ecosystem management. <i>Aquatic Sciences</i> 71(3): 266-278.                                                                             |
| Perona P, Molnar P, Savina M, Burlando P. 2009. An observation-based stochastic model for sediment and vegetation dynamics in the floodplain of an Alpine braided river. <i>Water Resources Research</i> , 45, W09418.                                                                                                      |
| Todorov M, Golemanski V, Mitchell EAD, Heger TJ. 2009. Morphology, biometry and taxonomy of five freshwater and marine interstitial testate amoebae of the genus <i>Cyphoderia</i> (Testacea: Cyphoderiidae). <i>Journal of Eukaryotic Microbiology</i> , in press.                                                         |
| Vogt T, Hoehn E, Schneider P, Cirpka OA. 2009. Investigation of bank filtration in gravel and sand aquifers using time-series analysis. <i>Grundwasser</i> 14 (3) 2009: 179-195.                                                                                                                                            |
| Walther L, Graf U, Kammer A, Luster J, Pezzotta D, Zimmermann S, Hagedorn F. 2009. Determination of organic and inorganic carbon, $\delta^{13}\text{C}$ and nitrogen in soils containing carbonates after acid fumigation with HCl. <i>J. Plant Nutr. Soil Sci.</i>                                                         |
| <b>2008</b>                                                                                                                                                                                                                                                                                                                 |
| Acuna V, Wolf A, Uehlinger V, Tockner K. 2008. Temperature dependence of stream benthic respiration in an Alpine river network and its relevance to global warming. <i>Freshwater Biology</i> , 53(10): 2076-2088                                                                                                           |
| Artz RRE, Chapman SJ, Siegenthaler A, Mitchell EAD, Buttler A, Bortoluzzi E, Gilbert D, Yli-Petäys M, Vasander H, Francez A-J. 2008. Functional microbial diversity in cutover peatlands responds to vegetation succession and is partly directed by labile plant carbon. <i>Journal of Applied Ecology</i> 45: 1799-1809.  |
| Brunner I, Luster J, Günthardt-Goerg MS, Frey B. 2008. Heavy metal accumulation and phytostabilisation potential of tree fine roots in a contaminated soil. <i>Environ. Pollut.</i> 152(3): 559-568.                                                                                                                        |
| Dessureault-Rompré J, Nowack B, Schulin R, Tercier-Waeber ML, Luster J. 2008. Metal solubility and speciation in the rhizosphere of <i>Lupinus albus</i> . <i>Environ. Sci. Technol.</i> 42(19): 7146–7151                                                                                                                  |
| Klump S, Cirpka OA, Surbeck H, Kipfer R. 2008. Experimental and numerical studies on excess-air formation in quasi-saturated porous media. <i>Water Resour. Res.</i> , 44, W05402.                                                                                                                                          |
| Lagoun-Defarge F, Mitchell EAD, Gilbert D, Disnar, J-R, Comont L, Warner BG & Buttler A. 2008. Cutover peatland regeneration assessment using organic matter and microbial indicators (bacteria and testate amoebae). <i>Journal of Applied Ecology</i> 45: 717-727.                                                        |
| Langhans SD, Tiegs SD, Gessner M, Tockner K. 2008. Leaf decomposition heterogeneity across a riverine floodplain mosaic. <i>Aquatic Sciences</i> 70(3).                                                                                                                                                                     |
| Lamentowicz M, Obremska M, Mitchell EAD. 2008. Autogenic succession, land-use change, and climatic influences on the Holocene development of a kettle hole mire in Northern Poland. <i>Review of Palaeobotany and Palynology</i> 151 (1-2): 21-40.                                                                          |
| Lamentowicz M, Cedro A, Galka M, Goslar T, Miotk-Szpiganowicz G, Mitchell EAD, Pawlyta J. 2008. Last millennium palaeoenvironmental changes from a Baltic bog (Poland) inferred from stable isotopes, pollen, plant macrofossils and testate amoebae. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> 265: 93-106. |
| Lara E, Heger TJ, Ekelund F, Lamentowicz M, Mitchell EAD. 2008. Ribosomal RNA Genes Challenge the Monophyly of the Hyalospheniidae (Amoebozoa: Arcellinida). <i>Protist</i> , 159(2): 165-176                                                                                                                               |
| Luo J, Cirpka OA. 2008. Travel-time based descriptions of transport and mixing in heterogeneous domains. <i>Water Resour. Res.</i> , 44, W09407.                                                                                                                                                                            |
| Mitchell EAD, Payne RJ, Lamentowicz M. 2008. Potential implications of differential preservation of testate amoebae shells for paleoenvironmental reconstruction in peatlands. <i>Journal of Paleolimnology</i> 40: 603-618.                                                                                                |
| Mitchell EAD, Charman DJ, Warner BG. 2008. Testate amoebae analysis in ecological and paleoecological studies of wetlands: past, present and future. <i>Biodiversity and Conservation</i> 17: 2115-2137.                                                                                                                    |
| Mitchell EAD, Payne RJ, Lamentowicz M. 2008. Potential implications of differential preservation of testate amoebae shells for paleoenvironmental reconstruction in peatlands. <i>Journal of Paleolimnology</i> .                                                                                                           |
| Nguyen-Viet H, Bernard N, Mitchell EAD, Badot P-M, Gilbert D. 2008. Effect of lead pollution on testate amoebae communities living in <i>Sphagnum fallax</i> : an experimental study. <i>Ecotoxicology and Environmental Safety</i> 69(1): 130-138.                                                                         |
| Paetold A, Yoshimura C, Tockner K. 2008. Differential effects of flow regulation and channel regulation on riparian arthropod diversity and density. <i>J. Appl. Ecol.</i> 45(3): 894-903.                                                                                                                                  |
| Payn RA, Gooseff MN, Benson DA, Cirpka OA, Zarnetske JP, Bowden WB, McNamara JP, Bradford JH. 2008. Comparison of instantaneous and constant-rate stream tracer experiments through non-parametric analysis of residence time distributions. <i>Water Resour. Res.</i> 44, W06404.                                          |
| Perona, P, Molnar, P, Savina, M, and Burlando P. 2008. Stochastic sediment–vegetation dynamics in an Alpine braided river. <i>IAHS publ.</i> 325: 266-274                                                                                                                                                                   |
| Pollock D, Cirpka OA. 2008. Temporal moments in geoelectrical monitoring of salt tracer experiments, <i>Water Resour. Res.</i> , 44, W12416.                                                                                                                                                                                |
| Vuilleumier S, Yearsley J, Perrin N. 2008. Fixation probability of locally adapted alleles in heterogeneous environment. <i>Genetics</i> . 178: 467-475.                                                                                                                                                                    |

|                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>2007</b>                                                                                                                                                                                                                                                                                        |
| Cirpka OA, Fienen MN, Hofer M, Hoehn E, Tessarini A, Kipfer R, Kitanidis PK. 2007. Analyzing bank filtration by deconvoluting time series of electric conductivity, <i>Ground Water</i> 45(3): 318-328.                                                                                            |
| Dessureault-Rompré J, Nowack B, Schulin R, Luster J. 2007. Spatial and temporal variation in organic acid anion exudation and nutrient anion uptake in the rhizosphere of <i>Lupinus albus</i> L.. <i>Plant and Soil</i> , 301: 123-134.                                                           |
| Hoehn E. 2007. Überwachung der Auswirkungen von Flussaufweitungen auf das Grundwasser mittels Radon. <i>Grundwasser</i> 12(1): 66-72.                                                                                                                                                              |
| Kalbus E, Schmidt C, Bayer-Raich M, Leschik S, Reinstorf F, Balcke GU, Schirmer M. 2007. New methodology to investigate potential contaminant mass fluxes at the stream-aquifer interface by combining integral pumping tests and streambed temperatures. <i>Environ. Pollut.</i> 148(3): 808-816. |
| Schmidt C, Bayer-Raich M, Schirmer M. 2007. Characterization of spatial heterogeneity of groundwater-stream water interactions using multiple depth streambed temperature measurements at the reach scale. <i>Hydrol. Earth Sys. Sci.</i> 10(6): 849-859.                                          |
| Vuilleumier S, Wilcox C, Cairns B, Possingham HP. 2007. How patch configuration affects the impact of disturbances on metapopulation persistence. <i>Theoretical Population Biology</i> , 72(1):77-85.                                                                                             |
| Woolsey S, Capelli F, Gonser T, Hoehn E, Hostmann M, Junker B, Paetzold A, Roulier C, Schweizer S, Tiegs SD, Tockner K, Weber C, Peter A. 2007. A strategy to assess river restoration success. <i>Freshwater Biol.</i> 52(4): 752-769.                                                            |